7. Zainullabddin Ghias, B.A., care of K. M. Abdul Khyum, Esq., B.A., B.L., Railway Probationer, Stores Department, Mysore South, Mysore.
8. M. Abdur Rahman, B.A., care of K. Mohamed Hussain, Esq., Contractor, P. W. Department, Bowringpet.
9. K. N. Narayanaswami Chetty, B.A., care of C. N. Krishnaswami Chetty, Post Office Road, Chikballapur.
10. B. V. Bora Setty, B.A., R. R. Clerk, Taluk Office, Mysore.
11. B. A. Prabhakar, B.Sc., care of Mr. B. Adinarayana Setty, Clerk, Vysya Co-operative Bank, Ltd., Avenue Road, Bangalore City.
12. S. Dharmaiah Gowda, B.A., Head Clerk, District Medical Office, Tumkur.
13. K. M. Rajagopala Reddy, B.A., Kammasandra Village, Bethamangala Post, Kolar Gold Field.
14. L. Shivalingiah, B.Sc., near Labour Colony, Sreeramapuram, Malleswaram Post, Bangalore City.
15. P. Giri Raju, B.A., 71, Kilari Road, Bangalore City.

Notification No. 2854—*C.R.B., dated* 21*st October* 1938.

Applications are hereby invited from Graudates belonging to Backward Community Classes for consideration in connection with a supplemental list for Revenue Inspectors, Class I, in accordance with the Revised Rules of Recruitment, issued with Government Order No. 6-105- C.R.B., I-34-1, dated 3rd July 1934, and published in Part I of the *Mysore Gazette*, dated the 5th July 1934.

The candidates must be Mysoreans by birth or domicile. Where an applicant claims to be a domiciled Mysorean, a certificate from a Gazetted Officer of Mysore Service showing the grounds for the claim of domicile should be enclosed.

2. *Age Limit.*—The maxmium age of entry into service will be 28 years.

3. *Departmental Tests.*—In addition to the general educational qualification, (*Viz.*, a degree of the Mysore University or of any other recognised University) the candidates for the appointments may be required to pass such Departmental tests as may be prescribed by Government from time to time.

4. As vacancies occur, the appointments will be made from the approved lists according to the relative order of mention therein of the names of the candidates.

5. The appointed candidate will be started as a probationer in the unit of recruitment and will, on the cessation of the temporary or acting vacancy in which he is appointed, be, as far as possible, continued and provided in other vacancies of the same class, till he is finally absorbed. He will ordinarily start at the bottom of the service in the class to which he is appointed and will be on probation for a period of one year from the date on which he joins duty.

6. Intending candidates should submit their applications in duplicate, in the prescribed form, together with copies of testimonials, etc., so as to reach the undersigned on or before the 15th November 1938. Candidates in service should submit their applications through their official superiors.

7. No notice will be taken of applications that are not in response to this notification or are received after the due date or are not submitted in the prescribed form or do not furnish all the particulars required in the various columns of the form.

By Order,
K. THIPPERUDRIAH,
Secretary,
Central Recruitment Board.

ENGINEERING DEPARTMENT.

KOLAR DIVISION.

Tender Notice dated 19*th October* 1938.

Sealed tenders will be received at the Office of the Executive Engineer, Kolar Division, up to 12 NOON on 21st November 1938, for restoration of Gujjanahalli Byrasandra Tank, Registered No. 360/164 of Duggasandra Hobli, Malbagal Taluk.

2. Tenders in the prescribed form obtainable from the Office of the Executive Engineer, Kolar Division, should be addressed to the Executive Engineer, Kolar Division, in a sealed cover and superscribed as "Tender for restoration of Gujjanahalli Byrasandra Tank." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by treasury challan for an earnest money of Rs. 250 paid to the treasury to the credit of 17 (a) Public Works Deposit against the account of the Executive Engineer, Kolar Division. The earnest money of the successful tenderer will be retained as security deposit for the due fulfilment of the contract. Such a deposit in cash will not carry any interest.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 21st November 1938 at Kolar. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful

tenderer will be required to execute an agreement in the departmental Schedule Contract Form for the due fulfilment of the contract, and for the execution of all items of work in accordance with the Bombay Specifications (1931), and also furnish a security Deposit of Rs. 500.

6. Failure to comply with the condition 5 above, or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's Office, Kolar, on all working days between 11 A.M. and 5 P.M.

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures. Tenders offering a percentage reduction on the estimate amount will be rejected.

10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with date and reasons for the same.

11. No alterations which are made by the tenderers in the tender form in the nomenclature of the items of work will be recognised and if corrections are made, the tenders are liable to rejection.

12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to, and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

13. No reference should be made to the Public Works Department schedule of rates.

14. In the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof, or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.

15. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates for the same will be calculated by the Executive Engineer, on the basis of current rates for materials and labour with a contractor's profit of 5 per cent as may be approved by the Superintending Engineer. This shall be final and legally binding on the tenderer.

16. The quantities given in the schedule are only approximate and the drawings shown to the contractor are only tentative and are liable to alterations, omissions, deductions, or additions at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity, whether higher or lower than those given in the enclosed schedule.

17. The works should be completed and handed over in a tidy condition to the Public Works Department by the end of September 1939, failing which, the Executive Engineer may, at his discretion, levy a penalty of Rs. 5 per day, which will ordinarily be calculated at 12 per cent per annum on the total outlay as liquidated damages for non-fulfilment of contract, and will be recovered from the contractor's outstandings for the period exceeded by him beyond the time fixed and until the work is completed and handed over.

18. In all matters of disputes of any kind not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief or the Superintending Engineer shall be final and legally binding.

19. No claim for damages for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reasons for such delays. Contractors should bear this in mind when tendering for the work. Extension of time due to delays caused by the departmental officers will, however, be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools and plant and machinery that will be supplied by the Executive Engineer in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer. The tenderer will pay the hire on tools and plant and machinery as per rules from the date of taking over of such machinery, tools and plant from the Stores to the date of return thereto, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractor should arrange for the payment of royalty and tolls.

Note.—(*a*) The contractor should at his own cost—

(1) Provide rods, stakes, ropes and labour required in setting out the works.
(2) Provide all necessary scaffolding, centering labour and appliances for hoisting.
(3) Provide mortar mills and sheds, to keep materials under cover and also for workmen.
(4) Arrange for protecting work during inclement weather.
(5) Supply requisite temporary lights, water cisterns, water pumps and hoses, sieves, parahs, shoring, strutting and other requisite protective appliances during the progress of the work.
(6) Supply all water required for work and workmen and shall provide temporary, latrines and drains.

(7) Clean away all dirt, rubbish, superfluous materials and debris as they accumulate.

(8) Provide arrangements for pumping and baling of water from excavations and foundations wherever and whenever necessary with his own pumping apparatus including necessary leading drains, slump pits, etc.

(9) Afford facilities to any other parties employed upon the work by the P. W. D., so that their work may proceed during the progress of the contract, and give such persons the use of ordinary scaffolding and ladders.

(10) The contractor is responsible for all accidents to workmen, etc., on the work and he must take precaution against all risk of accidents and if necessary provide for the same by Insurance at the proper time.

Note.— (*b*) It is the business of the contractor to make his own arrangements for quarries and supplies of materials.

Abstract estimate for restoring Gujjanahalli Byrasandra tank, Duggasandra Hobli in Mulbagal Taluk, Reg. No. 360/164 (minor).

No.	Items of work	Unit	Rate	Quantity	Rate to be quoted
			Rs. a. p.		
	I. *Bund at R. L. 56·00 with side slopes* $1\frac{1}{2}$: 1 *and* 2 : 1 *and top width* $4\frac{1}{2}$ *ft.*				
1	Jungle clearing and removing ant hills and filling them with sand	Grade	2 0 0	23	
2	Cutting grips and trenches in the bund for the receipt of new earth	,,	2 0 0	23	
3	Earthwork to bund with consolidation	C.yd.	0 3 0	6,387	
	(*a*) Carting and consolidation of available earth from the weir	,,	0 2 0	298	
4	Removing and resetting old stone revetment with new jelly	,,	0 8 0	100	
5	New stone revetment	,,	1 8 0	690	
6	Turfing	S.yd.	0 0 9	5,298	
	(*a*) Removing, figuring painting and fixing old grade stones	Each	0 12 0	10	
7	New grade stones including figuring and painting, etc., complete	,,	1 6 0	13	
8	Providing new Index stones including painting, etc., complete	Each	0 6 0	23	
9	Removing and refixing the existing Reg. No. stone with date after painting	,,	1 0 0	1	
10	Do Bench Mark stones	,,	1 0 0	2	
11	Providing and fixing new gauge stone including figuring and painting, etc., complete	,,	10 0 0	1	
	Total ..				
	II. Sluice.				
1	Repairing to existing sluice and providing angle iron plug and rod with locking arrangements and including construction of rear cistern ..	..	Lumpsum		
	III. Constructing waste weir of 67 ft. long at R. L. 51·00 on the right flank.				
1	Earthwork excavation for foundation in hard gravelly soil	C.yd.	0 4 0	298	
2	Burnt stonejelly concrete in surki mortar ..	C.ft.	0 4 0	923	
3	Size stone in surki mortar	,,	0 5 0	2,631	
4	Pointing with cement mortar	Sqr.	3 8 0	13·16	
5	Burnt stone slabs 6" thick, dressed and fixed ..	Sq.ft.	0 5 0	335	
6	New rough stone work with jelly wedging ..	C.yd.	1 8 0	274	
7	Puddle filling with a mixture of gravel and sand (3 : 1)	,,	0 8 0	90	
	Total ..				

R. TIPPAIYA,
Executive Engineer.

6 L